

THE NAVAL SAFETY CENTER'S
SHIPBOARD SAFETY EQUIPMENT SHOPPING GUIDE

The Naval Safety Center Afloat Safety Directorate prepared this guide to provide national stock numbers for common safety equipment and personal protective clothing approved for surface ship and submarine use. **Check with your supply department before ordering to verify stock number, unit of issue, and price information. This is a quick reference guide only.**

All items listed are American National Standards Institute (ANSI), National Institute of Occupational Safety and Health (NIOSH), or Mine Safety and Health Administration (MSHA) approved, as applicable. Stock numbers not included in this shopping guide are available from your ship's FED LOG system, or the Afloat Shopping Guide.

Contributions, suggestions, or changes to this shopping guide are welcome. Email at NRFK_SAFE_CODE30.

APRIL 2011 EDITION

TABLE OF CONTENTS

<u>TYPE OF SUPPLIES</u>	<u>PAGE NO.</u>
BODY PROTECTION/COVERALLS	3
DECK SAFETY EQUIPMENT	5
SAFETY EQUIPMENT FOR WORKING ALOFT	10
ELECTRICAL SAFETY EQUIPMENT	11
SPECIALTY SHOES	16
HAND PROTECTION	17
HEAD PROTECTION	20
HEARING PROTECTION	21
EYE AND FACE PROTECTION	22
EYE WASH STATIONS AND DELUGE SHOWERS	24
HEAT STRESS EQUIPMENT	25
RESPIRATORY PROTECTION	26
SAFETY SIGNS, PLACARDS, SYMBOLS, WARNINGS	27
SAFETY ACCESSORIES - MISCELLANEOUS	30
LADDER TREADS	31
WELDING CURTAINS	32
FLAMMABLE LIQUID STOWAGE CABINETS	33
CORROSIVE STORAGE LOCKERS	34
CALCIUM HYPOCHLORITE STORAGE LOCKERS	35

BODY PROTECTION/COVERALLS

<u>NOMENCLATURE</u>	<u>COG/NSN</u>
Apron, Utility, Cotton/Rubber, Black, 45" long, Chemical	9Q/8415-00-634-5023
Apron, Utility, Rubber, Full length, Tie back, black, 48" long, universal	9D/8415-00-082-6108
Apron, Disposable, plastic, non-flammable bib-type, waist ties, opaque white	9Q/8415-00-222-8074
Apron, Toxicological Agent Protection, with sleeves, rubber, olive color, full length, tie back	
X-Small	9D/8415-00-281-7812
Small	-281-7813
Medium	-281-7814
Large	-281-7815
Apron, welder's, leather, strap and snap right side, split leg, 42" long	9D/8415-00-250-2531
Jacket, welder's, leather,	
Size 34	9D/8415-00-268-8262
Size 38	-268-8263
Size 42	-268-8264
Size 46	-268-8265
Sleeve, welders, leather, 18" long, snap fasteners	9D/8415-00-164-0513

Coveralls

Coveralls, disposable, white, TYVEK material, (asbestos removal and fibrous glass handling) attached hood and booties	
Small	9D/8415-01-445-6565
Medium	-445-6566
Large	-445-6567
X-Large	-445-6568
Coveralls, disposable, white, water and flame resistant (use for spray painting and cleaning)	
X-Small	9D/8415-00-601-0792
Small	-601-0793
Medium	-601-0794
Large	-601-0797
X-Large	-601-0801

XX-Large

-601-0802

Body Protection/Coveralls (continued):

Engineering Utility Coveralls, Fire Retardant MIL-C-24945
See Afloat Shopping Guide, Section 3, Group 84, CLASS 8415 -
Clothing, Special Purpose

Coveralls, Specialized

Coveralls, men's, cotton sateen, green	
Small (42)	9D/8405-00-131-6507
Medium (46)	-131-6508
Large (50)	-131-6509
Coveralls, explosive handling	9D/8415-00-280-2455
Coveralls, rocket fuel handlers, impermeable full protection	9D/8415-00-725-3627
Footwear covers, disposable (OTTO II fuel handling/microwave protection coveralls, waterproof, clear)	9D/8430-00-591-1359

DECK SAFETY EQUIPMENT

DECK SAFETY EQUIPMENT

NOMENCLATURE

COG/NSN

Life preservers:

Life preserver, vest inherently buoyant with collar (including whistle, distress marker light, and sea dye marker) 9B/4220-01-485-1138

Life preserver inflatable, abandon ship (including whistle and distress marker light) 9B/4220-01-487-2932

Life preserver, commercial MK-1 "Float Coat", (complete)-CO2 gas inflatable (includes cover, bladder, whistle, distress ,marker light, sea dye marker, and CO2 cylinder)

SMALL	BLUE	9B/4220-01-487-2972
	BROWN	-487-2978
	GREEN	-487-2963
	PURPLE	-487-3190
	RED	-487-2950
	WHITE	-487-2940
	YELLOW	-487-2980

MEDIUM	BLUE	-487-3210
	BROWN	-487-3239
	GREEN	-487-3206
	PURPLE	-487-3297
	RED	-487-3201
	WHITE	-487-3192
	YELLOW	-487-3294

LARGE	BLUE	9B/4220-01-487-3647
	BROWN	-487-3650
	GREEN	-487-3625
	PURPLE	-487-3655
	RED	-487-3619
	WHITE	-487-3300
	YELLOW	-487-3652

X-LARGE	BLUE	9B/4220-01-487-3663
	BROWN	-487-3666
	GREEN	-487-3661
	PURPLE	-487-3669
	RED	-487-3659
	WHITE	-487-3657

YELLOW

-487-3667

Deck Safety Equipment (continued):

2X-LARGE	BLUE	9B/4220-01-504-8278
	BROWN	-504-8272
	GREEN	-504-8280
	PURPLE	-504-8277
	RED	-504-8268
	WHITE	-504-8270
	YELLOW	-504-8263

Bladder life preserver	9B/4220-01-487-2926
------------------------	---------------------

Auto inflation assembly	2ES 1377-01-302-2560
-------------------------	----------------------

DISTRESS MARKER LIGHTS

Light marker distress	9B/6230-01-533-6112
-----------------------	---------------------

Cord Nylon, Ty 1	9Z/4020-00-014-6699
------------------	---------------------

MK5 Auto inflatable utility	9C/4220-01-313-1677
life preserver vest (AIULP)	
MK5 MOD 0 green/orange	
MK5 valve pneumatic inflator MIL I-24739	9C/4220-01-302-2560
MK5 CARTRIDGE CARBON DIOXIDE Steel	9C/4220-00-543-6693
Type 2, 6 ea	
Life preserver yoke, inflatable	9C/4220-01-440-1573
gray MIL L 15581	
Life preserver yoke, inflatable	9C/4220-00-276-8929
Blue or gray, MIL L 16383	
Life preserver yoke inflatable	9C/4220-00-051-3078
green MIL L 24047	
Escape appliance assembly inflatable	9C/4220-00-066-4396
DISTRESS MARKER LIGHTS	
Light marker distress	9G/6230-01-143-4778
Rope, fibrous twisted natural color 1600ft	9Z/4020-00-247-9224
Reflective Tape	
Silver fluorescent 2" (50 yd/RO)	9G/9390-01-292-6737
Adhesive primer	9Q/8040-01-068-2423
SCOTCHLITE reflective 1" wide	9G/9390-00-441-9516
(for MK1) 50yd/ro	
SCOTCHLITE 2"	9Q/9390-00-481-3424
RING BUOY	
Life saving MIL R 16847	
24"	9C/4220-00-275-3156
18"	-275-3155
30"	-275-3157

Deck Safety Equipment (continued):

Light, Chemiluminescent

Blue 8 hr 1- ½"	9G/6260-01-209-4436
Blue 8 hr 6"	-178-5560
Green 8 hr 1- ½"	-209-4434
Green 8hr 5"	-086-8077
Green 12 hr 6"	-074-4229
Green 12 hr 15"	-247-0362
Non vis infrared 3 hr 6'	-247-0366
Non vis infrared 3 hr 15"	-195-9752
Non vis infrared 3 hr 1-1/2"	-247-0364
Intl Orange 5 min 6"	-247-0363
Orange 8hr 4"	-282-7630
Orange 12 hr 6"	-195-9753
Light red 4hr 1-1/2"	-230-8600

Foul Weather Jackets

Jacket extreme cold weather nylon waterproof green

SMALL	9D/8415-00-349-9313
MEDIUM	-349-9314
LARGE	-349-9315
X LARGE	-349-9316
XX LARGE	-349-9317

Miscellaneous Deck Safety Equipment

Sunscreen preparation, 4 oz bottle, SPF 15	9L/6505-01-121-2336
Litter, rigid, Stokes stretcher (transfer at sea)	9L/6530-01-315-4784
Basket, Stokes rigid litter, replacement wire mesh	9L/6530-01-315-4785
Pin, lock, steel spring keeper pin (for stretcher)	9Z/5315-00-194-2455
Litter, sea transfer, with flotation bag, Frame and guard pad (complete unit)	9G/2090-01-026-3915
Litter, sea-air rescue (MEDEVAC) stretcher	9L/6530-01-187-0104
Sling, rescue helicopter-hoisting cables,	9F/1680-01-226-5300

PN #190

Miscellaneous Deck Safety Equipment (continued):

Trail line pack (rolled pouch)	N32/1680-01-226-5135
Rope assembly, trail (with stainless steel weak link)	N32/1680-01-312-4854
Reel assembly, lanyard	9L/1680-00-229-0853
Snap hook, Wichard, Part #2317 (lifeline)	9Z/5340-01-446-9461
Cord, fibrous, dye marker line, double braid (500 yds/spool)	9Z/4020-00-240-2154
Release, hydrostatic, can type, four pin manual release feature, 10.25" long x 4.69" wide	1H/4240-01-279-7287
Chair, Boatswain, 28.25" high x 24" long x 8" wide	9G/2090-00-287-3613
Stage, scaffold plank, suspension, 2 man type, aluminum, ladder type	9C/5440-01-282-5781
Cord, fibrous, buddy line, double braid UI/2,100 ft/sl	9Z/4020-00-555-8639
Rope, fibrous, floating lifeline (submarine), MIL-R-24049 600 ft/roll, plastic.	9Q/4020-00-968-1353
Strap, tie down, electrical, component	9G/5975-01-034-5871
Ladder, Jacob's	9G/2090-00-753-3911
Rope, fibrous, 650 ft	9Z/4020-01-131-5697
Fiber rope assembly, single leg	9I/4020-01-344-0552
Man Overboard Pole	9G/2050-01-414-4583

SAFETY EQUIPMENT FOR WORKING ALOFT

<u>NOMENCLATURE</u>	<u>COG/NSN</u>
HARNESS, SAFETY, INDU SOUND SAFETY	
SMALL	9B 4240-01-543-5503
UNIVERSAL	9B 4240-01-543-5507
XLARGE	9B 4240-01-543-5520
HARNESS, SAFETY, INDU MSA	
XSMALL	9B 4240-01-545-7026
STANDARD	9B 4240-01-544-3376
XLARGE	9B 4240-01-544-3382
LANYARD, SAFETY, INDU	9B 4240-01-543-5536
LANYARD, SAFETY, INDU	9B 4240-01-544-3384
Lanyard, working safety harness (with double lock snap hook on each end)	9G/4240-00-022-2518
Sleeve, safety, climber	9G/4240-01-042-9688
Pin, quick releases (CRES pins are used on notched rails only. 1,000 lbs. max static load rating.)	9Z/5340-00-571-9519

ELECTRICAL SAFETY EQUIPMENT

NOMENCLATURE

COG/NSN

Electrical Safety Gloves (men's & women's sizes unless specified)

Gloves, electrical worker, 1,000 volts max safe use, black
rubber, gauntlet style 11" long

Size

9	9D/8415-01-158-9453
9 1/2	-158-9454
10	-158-9455
10 1/2	-158-9456
11	-158-9457
11 1/2	-158-9458
12	-158-9459

Gloves, electrical worker, 7500 volt max safe use, black
rubber, gauntlet style 14" long

Size

9	9D/8415-01-158-9449
10	-158-9450
11	-158-9451
12	-158-9452

Gloves, electrical worker, 17,000 volt max safe use, black
rubber, gauntlet style 14" long

Size

9	9D/8415-01-158-9446
10	-158-9447
11	-158-9448

Gloves, electrical worker, 26,500 volt max safe use, black
rubber,
gauntlet style 18" long

Size

9	9D/8415-01-158-9445
---	---------------------

Gloves, shells, electrical worker,
leather, universal size

9D/8415-00-264-3618

Glove Liner (Cotton)

9D/9415-00-782-2809

Talcum Powder 10 OZ

9Q/8510-00-817-0

Electrical Safety Equipment (continued):

Flame Resistant Clothing

Shield, Face Hood w/ Slottedhard Cap	MED	9B/4240-01-558-3950
Flame Resistant Clothing coat, Hiplength	XLRG	9B/8415-01-563-4015
Flame Resistant Clothing coat,	LRG	9B/8415-01-563-4014
Flame Resistant Clothing coat,	MED	9B/8415-01-563-4013
Flame Resistant Clothing Overall, BIB	MED	9B/8415-01-563-3928
Flame Resistant Clothing Overall BIB	LRG	9B/8415-01-563-4008
Flame Resistant Clothing Overall BIB	XLRG	9B/8415-01-563-4011

NSN's are being developed for the following:

ARC Flash Protection Jacket And Overpants Kit	2XLRG	9B/4240-
ARC Flash Protection Jacket And Overpants Kit	XLRG	9B/4240-
ARC Flash Protection Jacket And Overpants Kit	LRG	9B/4240-
ARC Flash Protection Jacket And Overpants Kit	MED	9B/4240-
ARC Flash Protection Coveralls	2XLRG	9B/4240-
ARC Flash Protection Coveralls	XLRG	9B/4240-
ARC Flash Protection Coveralls	LRG	9B/4240-
ARC Flash Protection Coveralls	MED	9B/4240-
ARC Flash Protective Coat	XLRG	9B/8415-01-563-4015
ARC Flash Protective Coat	LRG	9B/8415-01-563-4014
ARC Flash Protective Coat	MED	9B/8415-01-563-4013

Electrical Matting (25 YD per Roll)

Electrical Grade Sheet, MIL-M-15562, Type I,
Sheet matting utilized for glue down installation.
Heat/chemically sealable seams

Marbleized Polyvinyl Chloride

Beige	9Q/7220-01-024-9039
Terra Cotta	-024-9041
Blue	-024-9040
Green	9Q/7220-01-025-1695

Blanket Insulating(Rubber) 36x36 (20 volt) 9G/ 5970-00-296-5322

The following floor wax is authorized for electrical grade deck coverings. The stock numbers listed in the NSTM are not current. These NSNs are the current numbers and quantities

Floor wax 5 gallon	9Q/7930-01-183-8585
55 gallon	9Q-7930-01-183-8584

Electrical Grade Sheet, MIL-M-15562, Type II, Smooth Surface
Designed for use in single strips as a portable mat.

NOT AUTHORIZED FOR USE ABOARD SUBMARINES

Blue, Solid	9Q/7220-00-267-4630
Green, Solid	-913-8751
Black, Solid	-255-0765

Electrical Grade Sheet, MIL-M-15562, Type III, Diamond Tread

Green	9Q/7220-01-056-1944
Gray	-057-1897

Tape, pressure sensitive (for use under seams)

2" wide PVC #51 Tape	9Q/7510-00-550-6498
4" wide PVC #51 Tape	9Q/7510-01-018-2849

Adhesive (cement to seal or install matting), MMM-A-121

Pint	9Q/8040-00-273-8717
Quart	-165-8614
Gallon	-843-3461

Flat Irons

Three conductor cord for flat iron (replacement cord), high temp.

Cable, power, electrical, AWG 14 (FT)	9Z/6145-00-191-3610
Cable, power, electrical, AWG 16 (FT)	9Z/6145-00-191-3611

Flat iron (three pronged plug), steam 9Q/7290-00-148-7068

Fuse Pullers

Puller, fuse, Class A, size 2,
0-100 AMP, 8" long 9Q/5120-00-224-9456

Puller, fuse, Class A, size 3,
100-600 AMP, 12" long 9Q/5120-00-243-2776

Shorting Probes

Probe, safety shorting, 25KV 9G/5975-01-029-4176

Probe, safety shorting, 7 KV 32" long 9G/6625-00-146-1797

Electrical Safety Equipment (continued):

Electrical Workbench Equipment

Table, electrical test & maintenance,
workbench 9N/6625-00-851-2158

Table, electrical test & maintenance,
workbench, aluminum, 29" L, 24" W 9N/6625-00-851-2159

Test set, subassembly, 9N/6625-00-851-2156

Test set subassembly, 9N/6625-00-851-2157

Distribution box, 6" high, 6" wide 9N/6610-00-839-8026

Insulation, sheet, electrical,
Laminate 1/8" 9G/5970-00-912-1908
Laminate 1/32" -912-1907

Screw, machine 1/4-20,
MIL-P-17901, 3/4" 9Z/5305-00-543-5733

MIL-M-20693, 7/8" 9Z/5305-01-133-4457

MIL-M-20693, 1-1/8" -004-4983

Screw, machine 10-24 9Z/5305-00-240-0259

Voltmeter/Phaser Kit HD Electric CO., MARK IV 6625-01-550-3347

Voltmeter/Phaser Kit HD Electric CO., MARK V 6625-01-550-3349

HV Probe GCP-3 6625-01-550-3326

MISCELLANEOUS ELECTRICAL SAFETY EQUIPMENT

<u>NOMENCLATURE</u>	<u>COG/NSN</u>
Test set, electrical, POW-R-SAFE tool tester	9N/6625-01-025-4018
Indicator, line voltage tester, electrical, hand-held	9N/6625-00-132-1196
Cable assembly, power, electrical extension cord, 25", three outlet	9G/6150-00-449-1189
Heater, space, electric (shipboard use) MIL-H-2663, Type EDMC	9C/5020-00-841-6084
Heater, portable electric (open quarterdecks only) Chromalox Model STAR-06-43-P - Open purchase Chromalox website: www.chromalox.com	
Parts for connecting the portable electric heater	
Electrical plug (SYM 717.1)	5935-00-935-2235
Electrical Cable	
Interior spaces only (LSFHOF-9)	0145-01-202-0637
Exterior spaces only (FHOF-9)	6145-00-761-2878
Receptacle (SYM0915.1)	5999-00-879-1519
Surge Suppressors	6150-01-362-7192
Authorized for shipboard use:	
Honeywell Federal Systems, Inc., Model E5	
Brooks Power Systems, Inc Model Z6-6(2P)	
EFI Electronics Corp., Model MPS 453 EFI 120	
DSK, Inc. Navy Controller V, Model DSK-5000	

NOTE: Electrical safety placard stock numbers are listed in the "Safety Signs, Placards, Symbols and Warnings" section of this guide.

SPECIALTY SHOES AND BOOTS

Shoes, Electrical Hazards Protective

Protection to 600 volts, safety box toe, high blucher,
black leather

See Afloat Shopping Guide, Section 3, Group 84, CLASS 8430 - MENS
This class contains a womens to mens size conversion chart.

Safety Shoes: Steel Tip	8430-00-596-5396 through 6052 8430-01-032-2900 through 2909 8430-01-079-1252, MIL-S-21894
Steel Tip Boots	8430-00-624-2151 (series)
Molders	-926-9966 (series)
Electrical	-611-8314 (series)
Rubber	-624-2151 (series)

HAND PROTECTION

NOMENCLATURE

COG/NSN

Gloves, Barbed tape-wire handlers, MIL-G-43411 leather with cotton lining, cream or gray Universal	9D/8415-00-926-1674
Gloves, chemical and oil protective (Natural latex)	
Medium	9D/8415-00-916-2817
Large	-916-2818
Universal	-935-2833
Gloves, chemical and oil protective (Green Nitrile, gauntlet style, disposable)	
Size 7	9D/8415-01-147-6263
Size 8	-147-9540
Size 9	-012-9294
Size 10	-013-7382
Size 11	-013-7384
Gloves, industrial chemical protective (black rubber, 14" long, gauntlet style, acid/alkali resistant)	
Size 9	9D/8415-00-266-8679
Size 10	-266-8677
Size 11	-266-8675
Size 12	-266-8673
Gloves, chemical and oil protective, (Organic solvent resistant, gauntlet style, black rubber)	
Size 9	9D/8415-00-823-7458
Size 10	-823-7459
Size 11	-823-7460
Gloves, disposable, polyethylene (NOT FOR USE WITH STRONG CHEMICALS OR ACIDS), general purpose cleaning	
Medium	9D/8415-00-682-6786
Gloves, Welder's, leather, gauntlet style, gray color, wool and cotton lined	
Small	9D/8415-00-269-0432
Medium	-268-7860
Large	-268-7859

X-Large

-269-0433

Hand Protection (continued):

Gloves, heat protective, Aramid, cotton lined
Large 9D/8415-01-092-3910

Gloves, heat protective, leather,
insulated to 800 degrees, 13 inches long
Univ. size 9D/8415-00-792-5094

Gloves, heavy duty work, leather, (gauntlet style,
Cream color, for handling sharp metal, men's & women's)
XSm/size 1 9D/8415-00-268-7871
Sm/size 2 -268-7872
Med/size 3 -268-7869
Lg/size 4 -268-7870
X-lg/size 5 -268-7868

Gloves, shells, electrical worker's, leather, 10" long
Universal size 9D/8415-00-264-3618

Gloves, anti-flash and welders, gauntlet style, 19" long
Universal size 9D/8415-00-268-8318

Gloves, toxicological agents protective, 14" long
Butyl rubber
Small 9D/8415-00-753-6551
Medium -753-6552
Large -753-6553
X-Large -753-6553

Mitten, welders, 1 finger gauntlet, 15.25" long
Left hand 9D/8415-00-261-6434
Right hand -261-6435

Gloves, Man's Chipper gauntlet, leather, gray, left hand
Small 9D/8415-00-559-1339
Medium -559-1340
Large -559-1338

Gloves, Men's Chipper gauntlet, leather, gray, right hand
Small 9D/8415-00-559-1337
Medium -559-1336
Large -559-1335

Gloves, Men's cotton work
Regular size 9D/8415-00-268-8330

Gloves, Men's cotton, leather palm, fingers and thumb
Universal size 9D/8415-00-268-8350

Hand Protection (continued):

Gloves Men's leather linesman	
Small	9D/8415-00-274-2432
Large	-274-2433
Gloves, heat protective cotton, fire-resistant	
Universal size	9D/8415-00-024-9505
Mittens, heat protective, Aramid overall,	
ambidextrous universal size	9D/8415-01-092-0039

* Deep Sink Gloves, 31 inches, neoprene, open purchase through local homeport Food Service Supplier or SERVMART.*

HEAD PROTECTION

NOMENCLATURE

COG/NSN

HARD HATS

Helmet, Safety, cap type with chin strap, visor provided. To 2200 volts

SIZE

6 ½ TO 8	BLACK	9Q/8415-00-935-3131
	BLUE	-935-3132
	GRAY	-935-3133
	GREEN	-935-3134
	BROWN	-935-3135
	ORANGE	-935-3136
	RED	-935-3137
	WHITE	-935-3139
	YELLOW	-935-3140

Helmet, Safety, hat type with full brim with chin strap to 2200 volts

6 ¾ to 7 ½	BLUE	9Q/8415-00-935-1901
6 ½ to 8	GRAY	-935-1902
6 ½ to 8	GREEN	-935-1903
6 ¾ to 7 ½	BROWN	-935-1904
6 ½ to 8	ORANGE	-935-1905
6 ¾ to 7 ½	WHITE	-935-1907
6 ½ to 8	YELLOW	-935-1908

HARD HAT ACCESSORIES

Chin strap, elastic universal fit
gray 25/pg 9Q/8415-01-016-8034

Faceshield industrial snap on visor,
face shield attaches to cap type 9G/8415-01-099-8520
hard hat 15" long, 0.040" thick

Helmet flight deck crew cloth khaki
size 6 ¾ adj chin strap 9D/8415-00-861-3527

Pad flight deck crewman helmet back assembly
7" long 7.25" wide 0.5" thick 9D/8415-00-178-6830

Pad flight deck crewman helmet
front assembly 9D/8415-00-178-6831

Shield flight deck crew helmet
Front shield 9D/8415-00-178-7013

Back shield

-178-6855

HEARING PROTECTION

<u>NOMENCLATURE</u>	<u>COG/NSN</u>
EAR MUFFS	
Aural protector sound	
Type I headband	9G/4240-01-256-3350
Type II Napeband	9G/4240-00-022-2946
Straightway, 9 AN/2	-759-3290
Ear muff parts for 9 AN/2 Dome seals	9G/4240-00-979-4040
Filter acoustical sponge polyurethane	9N/5965-00-674-5379
SOUND BAN	
Plug ear earcaps on headband	
12/pkg	9L/6515-00-392-0726
10/PKG	-181-8058
EAR PLUGS	
Plug ear deci damp foam or	
EAR foam ear plugs 400/bx	9L/6515-00-392-0726
Ear plugs, fitted ISSUED BY MEDICAL ONLY Ear defender v-51R	
single flange 24 pkg	
X SMALL WHITE	6515-00-442-4765
SMALL GREEN	-467-0085
MEDIUM ORANGE	-467-0089
LARGE BLUE	-442-4807
X LARGE RED	-442-4813
Com fit triple flange	
SMALL GREEN	6515-00-442-4821
MEDIUM ORANGE	-442-4818
LARGE BLUE	-467-0092
Ear plug cases 12/PG	9L/6515-01-212-9452

EYE AND FACE PROTECTION

NOMENCLATURE

COG/NSN

Face Shields

Face shield Industrial tilting	9Q/4240-00-542-2048
	9I/4240-00-202-9473

Visor, Faceshield, replacement

Visor, Face shield, Industrial clear	
Acetate, snap fastener 9 ¾ x 19"	9I/4240-00-313-2204
8" X 11 ½"	01-022-7702
8" x 16 1/2"	9Z/4240-01-149-9208

Safety Glasses

Industrial, plastic frames, wire wrap temple, clear side shields with case	9Z/4240-00516-4531
Industrial, plastic frame, wire wrap temple, green side shields with case	9Z/4240-00-516-4483
Industrial and clear with plastic frame	9Q/4240-01-292-5055
Industrial amber with plastic frame	9Q/4240-01-292-2816
Industrial, gray with plastic frame	9Q/4240-01-292-2817
Spectacle fitting and adjustment kit	9I/6540-01-275-6065

Goggles

Industrial, chemical splash clear (includes four fixed indirect vents)	9G/4240-01-063-5996
Industrial, chipping goggles vinyl, clear (not for use with liquids)	9I/4240-00-190-6432
Industrial, chipping goggles, clear (not for use with liquids)	9Q/4240-00-052-3776
Industrial, chipping goggles, clear, with hardened feature (not for use with liquids)	9Q/4240-00-269-7912

Eye and Face protection (continued):

Welding Goggles

Industrial, welding, glass lenses (includes extra clear lenses)	
Shade 4	9Q/4240-00-998-4418
Shade 6	-203-3804

Welder's Helmet

Lift front, without lens or cover glass	9Q/4240-00-540-0623
Lens, helmet welders, clear plastic cover	9G/4240-00-203-7764
Lens, helmet welders glass	
Shade CO-BS-8	9G/4240-00-276-8939
Shade CO-BS-9	-540-2422
Shade CO-BS-10	-276-8940
Shade CO-BS-11	-540-2421
Shade CO-BS-12	-276-8941
Shield, arc viewing, hand held, full face cover	9Q/4240-00-270-4415

EYEWASH STATIONS AND DELUGE SHOWERS

NOMENCLATURE

COG/NSN

Plumbed permanent installation

Fountain, eye wash, foot pedal operated	9Z/4510-01-324-5141
Fountain, eye and face	
Wall mounted stainless steel bowl	9Z/4230-01-010-3171
Yellow plastic bowl	9Z/4510-01-107-5660
Fountain eye and face wash, steel plastic heads hand operated	9Z/4510-01-301-9950
Shower/eye and face wash combo, stainless 10" diameter	9Z/4510-01-161-0186 9Z/4510-00-400-5144
Eye and face wash model western drinking fountain Model #200BT 2 CHROME Painted brass full face drench spray heads APL 679990164	9Z/4510-01-184-5511

Plumbed eye wash station spare parts:

Valve, calibrated flow HAWS Model SP38	9C/4820-01-2975182
Seat valve HAWS Model SP18	9C/4020-01-270-5826
Head eye wash green rubber ¼" inlet HAWS model 72608 round	9Z/4510-01-309-4136

Portable gravity type units

Fountain eye and face wash portable gravity fed 16 gal.	
GREEN Plastic	9Z/4240-01-258-1245
YELLOW Plastic	-234-1796

Eyewash station sign

Sign, face adhesive (green/white eye wash station sign) (Pkg of 20 each)	9Q/9905-01-345-4521
--	---------------------

HEAT STRESS EQUIPMENT

<u>NOMENCLATURE</u>	<u>COG/NSN</u>
Dry Bulb Thermometer, alcohol in glass, 0-160 degree F	9G-6685-00-243-9964
WBGT Meter	
RSS 220 Meter, wet bulb	7H/6685-01-055-5298
Standard nickel cadmium battery, Rechargeable, size AA	9G-6140-00-449-6001
Cool Vest	
Vest, cooling, cotton, khaki, fire resistant, vapor-thermal insulation	9D/8415-01-289-9797
 Icepack Set, vest cooling, 9oz plastic gel packs polyester bags U/I 6 stips	
	9D/8415-01-289-9798

RESPIRATORY PROTECTION

ORDERING RESPIRATORS

Information on respirator and purchasing can be obtained from the respirator manufacturers representatives. Respirators can be purchased from:

1. The DoD EMALL on the Defense Logistics Agency website www.dscp.dla.mil, or
2. The General Services Administration website: www.gsaadvantage.gov

RESPIRATOR FIT-TESTING EQUIPMENT

<u>NOMENCLATURE</u>	<u>COG/NSN</u>
Isoamylacetate (banana oil)	
1 Oz	9G/6810-01-115-7792 6810-01-385-4884
Ampoules, Respirator (banana oil)	9G/4240-01-250-9082
Smoke Tube	9C/4940-01-015-1848
Fit Test Kits (See current POPS catalog)	
Bag, Plastic (zip-lock) for respirator storage (12" X 12"), 1 gal size	9Q/8105-00-837-7757
Pad, Isopropyl Alcohol Impregnated, 200 individual Packets, for refreshing respirators	9L/6510-00-786-3736

SAFETY SIGNS, PLACARDS, SYMBOLS AND WARNINGS

NOMENCLATURE

COG/NSN

SAFETY SIGNS, PLACARDS, SYMBOLS AND WARNINGS

CAUTION SIGNS:

"Do Not Operate Machinery Without Guards" Vinyl 3" x 5" adhesive (EA)	9Q/9905-01-342-4854
"Do Not Operate Without Eye Protection" Fiberglass 10" x 14" (EA)	9Q/9905-01-100-8204
"Do Not Use Compressed Air To Clean Your Clothes" vinyl 3" x 5" self adhesive (EA)	9Q/9905-01-342-4858
"Hazardous Material Storage Area" vinyl self adhesive 10" x 7" (EA)	9Q/9905-01-342-4851
vinyl self adhesive 3" x 5" (EA)	9Q/9905-01-342-4859
"Eye Protection Required" fiberglass 10" x 14" (EA)	9Q/9905-01-100-8203
"Hazardous/Toxic Chemicals Are Used In This Work Place. Material Safety Data Sheets Are Available In The Supervisor's Office" vinyl, self adhesive 10" x 7" (EA)	9Q/9905-01-342-4857
"Hearing Protection Required" Fiberglass 10" x 14" (EA)	9Q/9905-01-100-8205
"Hearing Protection Required in This Area" Fiberglass 10" x 14" (EA)	9Q/9905-01-031-1247
"High Noise Area Wear Ear Plugs" aluminum alloy 10" x 14" (EA)	9Q/9905-01-122-1140
"Open Door Slowly" vinyl self Adhesive 3" x 14" (EA)	9Q/9905-01-342-4852
"Respirator Required In This Area" vinyl self adhesive 10" x 7" (EA)	9Q/9905-01-342-4853
"Wear Goggles When Using This Machine" vinyl adhesive 3" x 5" (EA)	9Q/9905-01-342-4855

Safety Signs, Placards, Symbols and Warnings (continued):

DANGER SIGNS:

RED, BLACK AND WHITE, STANDARD OSHA "DANGER" SIGN

"Asbestos Cancer and Lung Disease Hazard, Authorized Personnel Only, Respirators and Protective Clothing Are Required In This Area" vinyl self adhesive 11" x 7" 9Q/9905-01-345-4519

"Do Not Watch The Arc" vinyl self adhesive 3" x 5" 9Q/9905-01-342-4856

"Eye Protection Required In This Area" vinyl adhesive 3" x 5" 9Q/9905-01-344-5229

"Hard Hat Area" aluminum self Adhesive 10" x 14" 9Q/9905-01-345-4520

POLYCHLORINATED BIPHENYL'S (PCBS):

Transformer Label 3" x 1" 9Q/7530-00-982-0066

Transformer label (3" X 1") 9Q/7530-00-982-0066

Radiation RF Hazard Signs:

7690-01-377-XXXX

RADIO FREQ. HAZ WARNING- KEEP MOVING PERSONNEL/5" -377-5893
RADIO FREQ HA WARNING-KEEP MOVING PERSONNEL/12" -377-5894
RADIO FREQ. HZ WARNING-BEYOND THIS POINT/5" -377-5895
RADIO FREQ. HZ WARNING-BURN HAZARD/5" -377-5896
Radio FREQ. HZ. WARNING- BURN HAZARD/12" -377-5898
RADIO FREQ. HZ WARNING- FUEL OPNS/5" -377-5899
RADIO FREQ. HZ WARNING FUEL OPNS/12" -377-5900
RADIO FREQ. HZ WARNING BLANK/SPEC COND/5" -377-5374
RADIO FREQ. HZ WARNING BLANK/SPEC COND/12" -377-5374
RADIO FREQ. HZ WARNING-SECURE UNEARTH RADIO/12" -377-5447
RADIO FREQ. HZ WARNING ORDINACE HANDLING/5" -377-5901
RDA HZ WARNING-OPERATE TRANSMITTERS/5" -377-5902

WARNING SIGNS LABELS, SYMBOLS AND FORMS

"Emergency Eye Wash" green and white 7" x 7" rigid plastic 9Q/9905-01-345-4521

3m Photo luminescent tape

1 inch (RO) 7690-01-462-6814
2 inch (RO) -462-6832

Safety Signs, Placards, Symbols and Warnings (continued):

Emergency egress markers as listed in MIL-STD 18302

Luminescent (L) or Reflective (R)

Arrow overlay 2" x 1"	9G/7690-00-337-2911
ACCESS (L) 5" X 1 1/2"	-348-9271
ACCESS (R) 5" X 1 1/2"	-337-2914
Double Exit Arrow (L) 6" x 11"	-344-8314
Double Exit Arrow (R) 6" x 11"	-334-6802
Down (L) 3" x 9"	-348-9345
Emergency (L) 10" x 1 1/2"	-348-9222
Exit arrow left (L) 8" x 6"	-344-8283
Exit arrow right (R) 8" x 6"	-334-6801
Exit (L) 9" x 4"	-357-7813
Exit (R) 9" x 4"	-334-6803
Flight deck (R) 10" x 1 1/2"	-337-2912
HANGER DECK (L)	-344-8374
Hanger deck (R)	-339-1536
Port (L) 5" x 1 1/2"	-348-9234
Port (R) 5" x 1 1/2"	-337-2913
UP (L) 5" x 3"	-348-9273
UP (R) 5" x 3" INACTIVE	-339-1537
You are here overlay 5" x 1/2"	-339-1530

Photo luminescent

Dept. Bulls eyes blank: 15" x 12" PART NUMBER: 3MN128PL	7690-01-462-6772
Shipboard label marking kit: Blue letters and numbers, PART#: 3MNKITB	7690-01-462-7257

Sight conservation:

Eye hazard deck markings Checkerboard yellow and black tape 3" wide 36 yd/roll	9Q/9905-01-342-5934
Striped yellow and black tape 3" wide 36 yd/roll	9Q/9905-01-342-5933
Green cross for safety 2" diameter Green and white sticker for hard hats	9Q/9905-01-343-2096

Safety Signs, Placards, Symbols and Warnings (continued):

The following signs and placards can be orderd from the Navy Forms Website at: <https://forms.daps.dla.mil/order/>

Combat Systems

RADHAZ Warning Label NAVSEA 5104/1	0116-LF-115-0500
RADHAZ Warning Label (Blank) Feet From NAVSEA 5104/2	-115-0600
RADHAZ Warning Label (2" X 2 2/3") NAVSEA 5104/3	-115-0700
RADHAZ Warning Label (1 1/2" X 2 1/3") NAVSEA 5104/4	-115-0800
Working Aloft Safety Precautions	0118-LF-115-3300
Working Aloft Safety Precautions (Radio Room)	-114-3500
Working Aloft Check Sheet (for ships)	0107-LF-127-0500

Damage Control Related

Arc Welding Equipment (16" X 10 1/2")	0118-LF-115-1900
Arc Welding Equipment, Portable (8 X 10 1/2)	-113-3900
CO2 Alarm ("8 X 5 1/4")	0118-LF-114-8200
CO2 Extinguisher Hose & Reel	0177-LF-224-1700
CO2 Fire Fixed Extinguisher System (8 1/2 X 10 1/2)	0118-LF-133-2100
CO2/AFFF/HALON Extinguisher & System Record Entering Voids or Other Unventilated Spaces Or Compartments- Flooded with CO2	0116-LF-114-3100
	0118-LF-115-2800
Danger Oxygen Do Not Oil	0102-LF-011-8000
Eductor Bilge Suction (8 1/2" X 11 3/8")	0118-LF-132-7500
Handling Compressed Gas Cylinders	0177-LF-220-9001
Portable Submersible Inst (8" X 10 1/2")	0118-LF-115-0900

DECK

Abandon Ship Sta Life Boat (3 1/2" X 6 3/4")	0118-LF-019-6900
Abandoning Ship Instructions (8" X 10 1/2")	-019-8400
Anchor Windlass (SP) (8" x 10 1/2")	-131-4600
Boat Handling Winches	-114-1500
Fueling at Sea/Replenishment at Sea	-019-6300
Heavy Weather (SP) (8" X 10 1/2")	-114-2900
Winch Cargo & Snaking (8" X 10 1/2")	-114-4000
Working Over the Side Check Sheet (for ships)	0118-LF-127-1700
Working Over the Side (SP) (8" X 5 1/4")	-020-0600
Working in Vertical Trunk Check Sheet (for ships)	-127-2900

Working Over the Side Check Sheet (for subs) -127-4100

Electrical/Electronic

CPR Placard Not Currently Available
Danger High Voltage (4" X 2 1/2") **0118-LF-113-2400**
Danger High Voltage (7" X 5 1/4") -114-3600
Danger High Voltage (9" X 5 1/2") -113-2300
Danger Working on Energized Equipment
(18" x 12") -020-1400
Do Not Operate Tag NAVSUP 1377/6 0108-LF-501-3795
Electrical Safety Precautions (14" X 9 3/16") **0118-LF-019-6100**
Electronic Safety Precautions (16" X 10 1/2") -113-2700
No Smoking-Battery on Charge (15" X 7") -113-3600
Safety Check Tag 0116-LF-985-4300
Storage Batteries (8" x 10 1/2") **0118-LF-114-3900**

Tag-out Tags

Danger Red Tags **NAVSHIP 9890/8** **0116-LF-115-4300**
Caution Yellow Tags **NAVSHIP 9890/5** -114-0100

Hazardous Material/Pollution Prevention

Hazardous Chemical Warning Label DD 2521(1C) 0108-LF-981-2600
Hazardous Chemical Warning Label DD 2522(1C) 0108-LF-981-3800
Used Hazardous Material Label 0107-LF-127-4700

No Smoking (18" X 4") **0118-LF-113-4000**
No Smoking (23" X 8") -114-2300
No Smoking (10 1/2" X 2 1/2") -113-4400

Water Quality Act (8" X 5 1/2") **0118-LF-020-0400**
Prevention of Pollution of the Sea by Oil
(8" X 11") -113-2100

Polychlorinated Biphenyl's (PCBs)

Equipment ID label (1" X 2") **0116-LF-050-9011**
Equipment ID label (4" X 4") -050-9021
Equipment ID label (6" X 6") -008-6500

Weapons

Ready Service Locker & Clipping Rooms 0177-LF-333-1701
(8 3/16" X 9 7/16")
Ready Service Locker & Ammunition **0118-LF-114-9000**
(9" X 8 1/2")
Magazine & Ammunition Handling Spaces -113-4200
Pyrotechnics Ammunition (5" X 7 1/2") -020-3300
Pyrotechnics Magazine Safety -114-2200
(8 3/16" X 10 11/16")
Magazines & Handling Room (7" X 9") -114-4700

Safety Signs, Placards, Symbols and Warning (continued):

Miscellaneous

Bench Saw, 8"	0118-LF-115-3000
Bread Slicer (8 13/16" X 3 11/16")	-114-8400
Dough Mixing Machine (8 3/16" X 9 1/2")	-020-1900
Drill Press (8 1/4" X 7 3/8")	-114-3000
Electric Range (8 1/2" X 8 7/16")	-114-4800
Flatwork Ironer (8" X 10 1/2")	-020-2600
Forklift, Truck	-113-9800
Garbage Grinder	-115-2500
Griddle (8 3/16" X 9 3/4")	-114-
2100	
Grinder Safety Precaution (8" X 5 1/4")	0177-LF-225-3601
Hot Water Heater	0188-LF-127-2700
Insinger Dishwashing Mach 250DA	-113-3300
Lathe	-115-2900
Laundry Equipment Operating Inst.	-113-5600
Laundry Press Operation (8 1/4" X 6 1/4")	-113-8300
Laundry Dryer/Fire Warning	-981-6600
Lubrication (8" X 5 1/4")	-113-2600
Man Overboard (8" X 5 1/4")	-020-0500
Meat Chopping Machine (8" X 5 1/4")	-114-
3700	
Meat Grinder & Meat Slicer	-113-4300
Oxyacetylene Cutting Outfit (8" X 5 1/4")	-113-4500
Paint Locker (8 3/6" X 6 2/16")	-983-2200
Restricted Authorized Personnel Only (16" X 6")	-113-2200
Sewing Machine (8" X 5 1/4")	-020-3900

Noise Signs

Hazardous Noise Signs, Yellow and Black, Self-adhesive labels/NAVMED 6260/2 Large (8" X 10")	0105-LF-004-7200
Hazardous Noise Signs, Yellow and Black, Self-adhesive labels/NAVMED 6260/2A small Small (1" X 1")	0105-LF-004-7800

SAFETY ACCESSORIES - MISCELLANEOUS

Bag, Plastic (1 gal)	9Q/8105-00-837-7757
Cap, Compressed Gas Cylinder 3.5" thread dia., yellow (Acetylene bottle)	9G/8120-00-178-9814
3.12" thread dia., gray (paint to match bottle color)	9G/8120-00-179-0076
Deck Covering, Lightweight, Nonslip, black 6" x 24" (Non-skid)	9Q/7220-00-205-0389
Mercury (HgX) Decontaminate Kit 1.5 lb/CN	9G/6850-01-230-8556
Lid Plastic - covers for 3-pound can (used for paint dispensing) 6 1/4" OD	9Q/7330-00-071-5430
Sodium Bicarbonate, Technical baking soda, acid neutralizer (LB)	9G/6810-00-264-6618
Sunscreen Preparation (4 oz bottle)	9L/6505-01-121-2336
Thermal Insulation (Vermiculite), hazardous material packing/spill absorbent 4.5 lb bag	9Q/5640-01-324-2664

LADDER TREADS

Tread, metallic, non-skid, aluminum

Type I - full tread with end plates (may be installed in all locations outside of machinery spaces where aluminum ladders are being used)

4.0" x 18.0"	9G/2040-01-238-0939
4.0" x 20.0"	-238-0938
4.0" x 24.0"	-237-4056
6.0" x 18.0"	-238-0935
6.0" x 20.0"	-238-0934
6.0" x 24.0"	-238-0933
6.0" x 20.0"	-238-0937
9.0" x 24.0"	-237-3208

Safety Accessories - Miscellaneous (continued):

Type II - Cap tread (order 1/2-inch shorter than width of ladder (may be used over existing steel ladder treads where steel inclined ladders are required)

4.3" x 20.0"	9G/2040-01-249-6318
4.0" x 23.9"	-247-9618
6.0" x 17.9"	-247-7531
6.0" x 20.0"	-237-7089
6.0" x 21.0"	-247-1261
9.0" x 19.9"	-247-7532
9.0" x 23.0"	-247-9616

Tread, ladder, steel

Type I - full tread with end plates

4.0" x 20.0"	9G/2040-00-283-0004
6.0" x 24.0"	-269-0854
10.5" x 26.0"	-777-4090

Welding Curtains

The current specifications (Military specification MIL-C-24576(SH) are a thermally stable black pigmented, type I, class 1 cloth. Welding curtains meeting these requirements can be fabricated locally or open purchased and custom fabricated (with grommets) from welding or industrial supply company's.

Determining how much cloth is needed to enclose the welding area, required length, number of grommets required to adequately hang the curtain and hemming of all four edges. The curtain must be black in color. When ordering the curtain ask that the curtain be made of Black Pigmented UC-100-96HS (Refrasil cloth only). This material meets NAVSEA requirements.

Welding material (MIL-C-24576(SH)

8305-01-467-2936

FLAMMABLE LIQUID STOWAGE CABINETS

Each ship acquires flammable liquid stowage cabinets during initial outfitting or via applicable ship-alts. Ships may purchase additional, approved commercial flammable liquid stowage cabinets provided installation is in accordance with NSTM 670. All Flammable Liquids storage lockers used onboard ship shall have NAVSEA approval and have undergone shock testing per military specification MIL-S-901. The Delta, Justrite, and Protectoseal commercial, self-closing, flammable liquid storage lockers 30 gallons or less listed below are NAVSEA approved. Check with the specific manufacturer to see if they sell spare parts for their flammable liquids storage cabinets. Any flammable storage lockers larger than 30-gallons are **PROHIBITED**. Lockers shall be yellow but are not required to be self-latching.

Capacity(gal)	Manufacturer/Model
10	Delta CSL 10
12	Protectoseal 5517S
15	Delta CSL 15
30	Protectoseal 5530S

Contact the company's customer service representative to obtain assistance with locker information, cost, and parts.

Delta Industries Inc.
1490 Lindsay Blvd
P.O. Box 50128
Idaho Falls, ID 83205
Phone: (208) 529-8545
Fax: (208) 529-8579
E-Mail: delta@directinter.net

The Protectoseal Company
225 W. Foster Ave.
Bensenville, IL 60106
Phone: (630) 595-0800
Fax: (630) 595-8059
E-Mail: info@protectoseal.com
Web: www.protectoseal.com

Justrite Manufacturing Company
2454 Dempster St.
Des Plaines, IL 60016-5315
Phone: (800) 798-9250
Fax: (847) 298-3429
E-Mail: jrmfg@mcs.net
Web: www.justritemfg.com

CORROSIVE STOWAGE LOCKERS

Each ship acquires corrosive stowage locker during initial outfitting or via applicable ship-alts. Ships may purchase additional, approved commercial corrosive stowage lockers provided installation is in accordance with NSTM 670. All corrosive storage lockers used onboard ship shall have NAVSEA approval and have undergone shock testing per military specification MIL-S-901. Lockers shall be blue or white but are not required to be self-latching. Approved corrosive storage lockers are listed in the table below:

COMMERCIAL CORROSIVE STORAGE LOCKERS

Capacity in Gallons	Manufacturer	Model	External Dimensions (approximate)	Notes
2	Protectoseal	5513SPH	17"Hx20"Wx18"D	1 door, 1 adjustable shelf
4	Justrite	35042B	22"Hx17"Wx17"D	1 door, 1 adjustable shelf
5	Protectoseal	5516SPH	21"Hx20"Wx18"D	1 door, 1 adjustable shelf
12	Justrite	25712B	35"Hx23"Wx18"D	1 door, 1 adjustable shelf
12	Protectoseal	5517SPH	35"Hx20"Hx18"D	1 door, 1 adjustable shelf
22	Justrite	25742B	35"Hx35"Wx22"D	2 doors, 1 adjustable shelf
30	Protectoseal	5530SPH	35"Hx36"Wx24"D	1 door, 1 adjustable shelf
30	Justrite	25704	44"Hx43"Wx18"D	2 doors, 1 adjustable shelf
30	Justrite	25530B	44"Hx43"Wx18"D	1 door, 1 adjustable shelf
4	SciMatCo	SC8071	13"Hx13"Wx14"D	Isolation chamber, for use inside one of the above listed lockers
Note: Spare parts are available for all authorized in-use commercial corrosive storage lockers. Contact the manufacturer for a listing of spare parts for authorized corrosive storage lockers.				

CALCIUM HYPOCHLORITE STORAGE CONTAINERS

For Ready Use Storage a metal box, such as a first aid locker shall be used. (NSN 1H 2090-00-368-4792).

For calcium hypochlorite storerooms only, lockers or polyethylene cabinets shall be used to store bulk calcium hypochlorite. Approved cabinets are 24 gallon polyethylene cabinets designed for corrosive and acid storage and can be procured from Securall products. Cabinets are designed to fit into large corrosive cabinets but shall be used alone in storerooms.

For submarines, ready-use stocks issued to the Medical and Engineering Department shall be stowed in a Medical Instrument and Supply Set Case, NSN 6546-00-131-6992. This case shall be kept in a secured locker.

All storage spaces, lockers, and bins used to store calcium hypochlorite shall be painted gray and labeled with red letters on a white background.